

कुनाथरी सुर्खेत कर्णाली प्रदेश, नेपाल

# सवारी साधन(मोटर साइकल) तथा मेसिनरी औजार(Mini power Tiller)खरिद गर्ने सम्बन्धी सूचना प्रथम पटक प्रकाशित मितिः २०७५/०९/१७ गते

यस कार्यालयको लागि आवश्यक पर्ने सवारी साधन मोटर साइकल थान ५(पाँच) र मेसिनरी औजार( Mini power Tiller) थान १०(दश) प्रचलित सार्वजिनक खिरद ऐन,२०६३ को दफा ८ तथा सार्वजिनक खिरद नियमावली २०६४ को नियम ३१ख बमोजिम त्यस्तो सवारी साधन वा मेसिनरी औजार उत्पादक कम्पनी वा सो को आधिकारीक बिकेताहरु बीचमा प्रतिसपर्धा गराउने विधि (क्याटलग सिपड) बाट खिरद गर्ने निर्णय भएकोले इच्छुक इजाजत पत्र प्राप्त उत्पादक कम्पनी वा सो को आधिकारीक बिकेताहरुले आ-आफ्नो फर्म दर्ता प्रमाणपत्र, भ्याट दर्ता प्रमाणपत्र, एजेन्सी दर्ता प्रमाणपत्र ( Letter of Authorization) र कर चुक्ता प्रमाणपत्रको नोटरी पब्लिकबाट प्रमाणित प्रतिलिपीहरु समावेश गरी यस गाउँपालिकाको वेब साइटमा राखिएको सवारी साधन तथा मेसिनरी औजारको आधिकारिक स्पेसिफिकेसन मूल्य र सुविधा सिहतको गुणस्तर विवरण क्याटलग वा ब्रोसर संलग्न राखि यो सूचना प्रकाशित भएको मितिले १५(पन्ध्र) औ दिनको कार्यालय समयभित्र यस बराहताल गाउँ कार्यपालिकाको कार्यालय कुनाथरी सुर्खेतमा सिलबन्दी प्रस्ताव दर्ता गर्नुहुन सम्बन्धित उत्पादक वा आधिकारीक बिकेताको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ । यस कार्यालयको लागि आवश्यक पर्ने सवारी साधन मोटर साइकल र मेसिनरी औजारको प्राविधक स्पेसिफिकेसन यस गाउँपालिकाको website: www.barahatalmun.gov.np बाट डाउलोड गर्न सिकेने छ ।



कुनाथरी सुर्खेत कर्णाली प्रदेश, नेपाल

Technical Specification of 150±5% CC Motorcycle- 5 (five) units

	rechiled Specification 130±370 CC Motorcycle-3 (11ve/diffts					
S.N	Criteria	Departmental Requirement	Offered specification			
1	General	Motor cycle of sturdy design, suitable for driving	Make:			
		on rough road conditions.	Model/ MFY:			
		Wet weight shall not be less than 130 kg.	Country of Origin:			
2	Engine	Single cylinder, Four Strokes Petrol engine of 150	Make:			
		±5% cc, developing Maximum power output not	Model:			
		less than 12 Ps at governed RPM and Maximum				
		torque output not less than 12 Nm. For efficient				
		running of motor cycle. Electric and kick starting.				
3	Emission	The Emission Standard of the vehicle should				
	standard	comply with the Vehicle Mass Emission Standard				
		of Nepal.				
4	Gauges	To include speedometer/Odometer, Turn signal				
	-	indicator, neutral indicator, fuel gauge etc. As				
		necessary for efficient operation and maintenance.				
5	Transmission	Minimum Five speed				
6	Brake	Front: Disc & Rear:Drum/Disk				
7	Wheel Base	Min. 1300 mm				
8	Frame	Sturdy frame and suspension with telescopic shock				
		absorbers.				
		Minimum Ground Clearance; 160 mm				
9	Fuel Tank	Minimum 14 Ltr.				
	capacity					
10	Instructions	All signs and Instructions in the motor cycle shall				
		be in English.				



कुनाथरी सुर्खेत कर्णाली प्रदेश, नेपाल

S.N.	CRITERIA	BUYER'S REQUIREMENT	OFFERED SPECIFICATIO N
1	General	Mini power Tiller sturdy design, suitable for agriculture purpose, working in hilly area of Nepal. Gross Mini power Tiller Weight shall not be less than 130 kg.	Make: Model: Country of origin:
2	Engine	Compression injection, 1 cylinder, 4-stroke, diesel Engine, Engine Displacement minimum 250 ml, developing Maximum gross power	Make:

Technical Specification of Mini power Tiller: 10(Ten) Units



#### कुनाथरी सुर्खेत कर्णाली प्रदेश, नेपाल

		<b>not less than 7 HP at 3600 RPM,</b> shall fully equipped with accessories for efficient full load operation of tiller.	Model:
3	Clutch	Wet multiple disc clutches, land manual control.	
4	Transmissio	Manual shift full gear transmission at least Reverse, and forward.	
	n		
5	Ground	Minimum 100 mm.	
	Clearance		
6	Tires	Standard/ wheel size minimum 4.0-8 with tubes.	
7	Steering	Manual hand leaver.	
8	Brakes	Manual hand leaver.	
9	Chassis and	Steel, heavy duty as per manufactures design.	
	frame		
10	Fuel Tank	Minimum 3 liters.	
	capacity		
11	Dimension	minimum Overall length 1600 mm. Width 950 mm. Height 750 mm.	
12	Blades	Suitable and proper design, Rotary blade type, bent blade for dry land	
		each group 4*4 +3*1, total blades qty. 32 pcs.	
13	Instructions	All signs and instructions in the Tiller shall be in English.	
14	Manuals	One copy of the Operator's and Owner's Instructions and	
		Maintenance manual in English/Nepali shall be supplied with each Tiller.	
15	Tools and	A set of tools as required for general maintenance shall be supplied.	
	Spare parts		
16	Color	Standard Color	
17	Warranty	Supplier shall provide minimum of Three month warranty and at least	
		two free servicing in a year after acceptance.	
18	Delivery	The Mini Power Tiller, units shall be delivered to:	
		Government Of Nepal	
		Barahatal Rural municipality, office of the Municipal Executive,	
		Surkhet	